*Fluid Phase Equilibria*, 31 (1986) 323–324
Elsevier Science Publishers B.V., Amsterdam – Printed in The Netherlands



## Contents Volume 31 (1986)

### *Volume 31, No. 1*

Comparison of two hard-sphere reference systems for perturbation theories for mixtures
D. Dimitrelis and J.M. Prausnitz (Berkeley, CA, U.S.A.) ..... 1– 21

Application of the Wilson–Wegner expansion to represent vapor–liquid equilibrium surfaces of binary and ternary systems from the critical locus to the vapor pressure of the heavier component
T. Charoensombut-amon and R. Kobayashi (Houston, TX, U.S.A.) ..... 23– 34

A quartic hard chain equation of state for normal fluids
W.L. Kubic, Jr. (Bethlehem, PA, U.S.A.) ..... 35– 56

Application of the quartic hard chain equation of state to polymer mixtures
W.L. Kubic, Jr. (Bethlehem, PA, U.S.A.) ..... 57– 69

Excess properties of the hexafluorobenzene–n-hexadecane and hexafluorobenzene–benzene–n-hexadecane systems at 298.15 K
J. Aracil, R.G. Rubio, M. Cáceres, M. Díaz Peña (Madrid, Spain) and J.A.R. Renuncio (Oviedo, Spain) ..... 71– 87

Application of a generalized multiproperty apparatus to measure phase equilibrium and vapor phase densities of supercritical carbon dioxide in n-hexadecane systems up to 26 MPa
T. Charoensombut-amon, R.J. Martin and R. Kobayashi (Houston, TX, U.S.A.) ..... 89–104

Volume of mixtures of nonane isomers with normal nonane and normal hexadecane at 298.15 K; an interpretation of terms of the Flory–Patterson theory
A.M. Awwad and M.A. Salman (Baghdad, Iraq) ..... 105–115

*Short Communication*

Liquid–liquid equilibria for ternary systems of water–phenol and solvents: new UNIFAC parameters for interactions between the groups ACOH/COOH and prediction
E.A. Macedo, M.E. Soares and A.G. Medina (Porto, Portugal) ..... 117–122

### *Volume 31, No. 2*

A group-contribution correlation for predicting thermodynamic properties with the perturbed-soft-chain theory
G. Jin, J.M. Walsh and M.D. Donohue (Baltimore, MD, U.S.A.) ..... 123–146

Infinite-pressure excess functions and VLE $K$ values from liquid-phase activity coefficients
G. Soave (S. Donato Milanese, Italy) ..... 147–152

The temperature dependence of the hard sphere diameter
J.R. Elliott, Jr. (Akron, OH, U.S.A.) and T.E. Daubert (Pennsylvania, PA, U.S.A.) ..... 153–160

The critical temperatures of isomeric pentanols and heptanols
R.L. Smith, Jr., M. Anselme and A.S. Teja (Atlanta, GA, U.S.A.) ..... 161–170
Volumes and viscosities of benzene + n-alkane mixtures
A.M. Awwad, S.F. Al-Azzawi and M.A. Salman (Baghdad, Iraq) ..... 171–182
Equilibrium phase properties of the hydrogen–methane–carbon dioxide, hydrogen–carbon dioxide–n-pentane and hydrogen–n-pentane systems
N.P. Freitag and D.B. Robinson (Edmonton, Alberta, Canada) ..... 183–201

*Short Communications*

Direct calculation of pure-compound vapour pressures through cubic equations of state
G. Soave (S. Donato Milanese, Italy) ..... 203–207
Interaction parameter for hydrogen-containing mixtures in the Peng–Robinson equation of state
J.O. Valderrama (Dhahran, Saudi Arabia) and E.A. Molina (Antofagasta, Chile) ..... 209–219

*Volume 31, No. 3*

Computer simulation of condensed gas mixtures
S. Gupta (Baton Rouge, LA, U.S.A.) ..... 221–231
Prediction of excess properties for liquid mixtures: results from perturbation theory for mixtures with linear molecules
M. Bohn, J. Fischer and F. Kohler (Bochum, F.R.G.) ..... 233–252
The statistical mechanical local composition theory II. Effects of molecular size and energy differences in Lennard–Jones and Kihara mixtures
L.L. Lee, F.T.H. Chung and L.H. Landis, Jr. (Norman, OK, U.S.A.) ..... 253–272
An approach for extending van der Waals equations of state for polar, hydrogen bonding fluids applied to the Soave equation of state
V.F. Yesavage (Golden, CO, U.S.A.) ..... 273–282
An apparatus for vapor–liquid equilibrium at elevated temperatures and pressures and selected results for the water–ethanol and methanol–ethanol systems
V. Niesen, A. Palavra, A.J. Kidnay and V.F. Yesavage (Golden, CO, U.S.A.) . 283–298
Vapor–liquid equilibria for binary mixtures of carbon dioxide with benzene, toluene and p-xylene
C.-H. Kim, P. Vimalchand and M.D. Donohue (Baltimore, MD, U.S.A.) .... 299–311

*Letters to the Editor*

On the problem of phase identification in a mixture
S.I. Sandler and L.R. Dodd (Newark, DE, U.S.A.) ..... 313–316
An efficient algorithm to solve cubic equation of state—a reply
G. Heyen and B. Kalitentzeff (Liège, Belgium) ..... 317–318
Erratum ..... 319

*Author Index* ..... 321

*Contents of Volume 31 (1986)* ..... 323–324